

■ **FERROGLIETTI**
MULTI THROW LOCKS



P. 102

■ **SERRATURE DA INFILARE**
MORTICE LOCKS






P. 104

4 mandate - pomolo interno - catenaccio in acciaio zincato

4 throws - inside knob - zinc plated steel deadbolt



Complete di contropiastra e borchia in ottone
Provided with striking plate and brass rose




con cilindro
with cylinder

codice code
ENT

euro

011.00.0



701400 000

2 30

701500 000

2 30



012.35.0

702403 000

2 30

012.40.0

702404 000

2 30

012.50.0

702405 000

2 30

012.60.0

702406 000

2 30

012.70.0

702407 000

2 30

012.35.0

702503 000

2 30

012.40.0

702504 000

2 30

012.50.0

702505 000

2 30

012.60.0

702506 000

2 30

012.70.0

702507 000

2 30

versione "industriale" con borchia senza contropiastra
industrial type with rose without striking plate

012.50.0

702505 006




30

6 mandate - pomolo interno - catenaccio in acciaio zincato

6 throws - inside knob - zinc plated steel deadbolt



Complete di contropiastra e borchia in ottone
Provided with striking plate and brass rose



con cilindro
with cylinder

codice code
ENT

euro

011.00.0



711400 000

2 30

711500 000

2 30

711600 000

2 30



012.35.0

712403 000

2 30

012.40.0

712404 000

2 30

012.50.0

712405 000

2 30

012.60.0

712406 000

2 30

012.70.0

712407 000

2 30

012.35.0

712503 000

2 30

012.40.0

712504 000

2 30

012.50.0

712505 000

2 30

012.60.0

712506 000

2 30

012.70.0

712507 000

2 30

012.35.0

712603 000

2 30

012.40.0

712604 000

2 30

012.50.0

712605 000

2 30

012.60.0

712606 000

2 30

012.70.0

712607 000

2 30

versione "industriale" con borchia senza contropiastra
industrial type with rose without striking plate

012.50.0


712505 006

30

6 mandate - cil. interno 010.18.0 cil. esterno 012.50.0 - cat. in acciaio zincato
 6 throws - inside cylinder 010.18.0 outside cyl. 012.50.0 - zinc plated steel deadbolt



Complete di contropiastra e borchia in ottone
 Provided with striking plate and brass rose



con cilindro
 with cylinder



codice code
 ENT

euro




713505 000
713605 000

2 30
 2 30


5 1/2 mandate - pomolo interno - catenaccio in acciaio zincato
 5 1/2 throws - inside knob - zinc plated steel deadbolt



Complete di contropiastra e borchia in ottone
 Provided with striking plate and brass rose



con cilindro
 with cylinder



codice code
 ENT

euro



011.00.0

714500 000
714600 000

2 30
 2 30

012.50.0
 012.50.0

715505 000
715605 000


2 30
 2 30



FERROGLIETTI DA APPLICARE
multi throw rim locks

2 mandate e scrocco reversibile - catenacci in ottone
2 throws and reversible latch bolt - brass deadbolts

■ mm. 8




ENT.	40	45	50	60	70	80
L	64	69	74	84	94	104

frontale forend	codice code ENT	euro	
cilindro da ordinare a parte cylinder to be ordered separately	acc. ott. vern. brass pl. steel		
	740401 AL1	1	40
	740451 AL1	1	40
	740501 AL1	1	40
	740601 AL1	1	40
	740701 AL1	1	40
	740801 AL1	1	40
acc. nichelato nickel pl. steel	740 AN1	1	40
acc. cromo luc. pol. chr. steel	740 AC1	1	40
acc. cromo sat. satin chr. steel	740 AS1	1	40
acc. bronzato bronze steel	740 AB1	1	40
acc. inox stainless steel	740 AX1	1	40
ottone luc. vern. polished brass	740 LV1	1	40
ottone nichelato nickel pl. brass	740 LN1	1	40
ottone cromo luc. pol. chr. brass	740 CL1	1	40
ottone cromo sat. satin chr. brass	740 CS1	1	40
ottone bronzato bronze brass	740 LB1	1	40

2 mandate e scrocco reversibile - catenacci in ottone
2 throws and reversible latch bol - brass deadbolts

■ mm. 8




ENT.	40	45	50	60	70	80
L	64	69	74	84	94	104

frontale forend	codice code ENT	euro	
cilindro da ordinare a parte cylinder to be ordered separately	acc. ott. vern. brass pl. steel		
	740402 AL1	1	40
	740452 AL1	1	40
	740502 AL1	1	40
	740602 AL1	1	40
	740702 AL1	1	40
	740802 AL1	1	40
acc. nichelato nickel pl. steel	740 AN1	1	40
acc. cromo luc. pol. chr. steel	740 AC1	1	40
acc. cromo sat. satin chr. steel	740 AS1	1	40
acc. bronzato bronze steel	740 AB1	1	40
acc. inox stainless steel	740 AX1	1	40
ottone luc. vern. polished brass	740 LV1	1	40
ottone nichelato nickel pl. brass	740 LN1	1	40
ottone cromo luc. pol. chr. brass	740 CL1	1	40
ottone cromo sat. satin chr. brass	740 CS1	1	40
ottone bronzato bronze brass	740 LB1	1	40

2 mandate e rullo separato - catenacci in ottone
2 throws and separate roller bolt - brass deadbolts


■ mm. 8



ENT.	40	45	50	60	70	80
L	64	69	74	84	94	104

2 mandate e rullo separato - catenacci in ottone
2 throws and separate roller bolt - brass deadbolts

■ mm. 8



ENT.	40	45	50	60	70	80
L	64	69	74	84	94	104

frontale forend	codice code ENT		euro		
cilindro da ordinare a parte cylinder to be ordered separately	acc. ott. vern. brass pl. steel				
		741401 AL1	1	40	
		741451 AL1	1	40	
		741501 AL1	1	40	
		741601 AL1	1	40	
		741701 AL1	1	40	
		741801 AL1	1	40	
	acc. nichelato nickel pl. steel	741	AN1	1	40
	acc. cromo luc. pol. chr. steel	741	AC1	1	40
	acc. cromo sat. satin chr. steel	741	AS1	1	40
acc. bronzato bronze steel	741	AB1	1	40	
acc. inox stainless steel	741	AX1	1	40	
ottone luc. vern. polished brass	741	LV1	1	40	
ottone nichelato nickel pl. brass	741	LN1	1	40	
ottone cromo luc. pol. chr. brass	741	CL1	1	40	
ottone cromo sat. satin chr. brass	741	CS1	1	40	
ottone bronzato bronze brass	741	LB1	1	40	

frontale forend	codice code ENT		euro		
cilindro da ordinare a parte cylinder to be ordered separately	acc. ott. vern. brass pl. steel				
		741402 AL1	1	40	
		741452 AL1	1	40	
		741502 AL1	1	40	
		741602 AL1	1	40	
		741702 AL1	1	40	
		741802 AL1	1	40	
	acc. nichelato nickel pl. steel	741	AN1	1	40
	acc. cromo luc. pol. chr. steel	741	AC1	1	40
	acc. cromo sat. satin chr. steel	741	AS1	1	40
acc. bronzato bronze steel	741	AB1	1	40	
acc. inox stainless steel	741	AX1	1	40	
ottone luc. vern. polished brass	741	LV1	1	40	
ottone nichelato nickel pl. brass	741	LN1	1	40	
ottone cromo luc. pol. chr. brass	741	CL1	1	40	
ottone cromo sat. satin chr. brass	741	CS1	1	40	
ottone bronzato bronze brass	741	LB1	1	40	




1 mandata e scrocco reversibile - catenacci in ottone

1 throw and reversible latch bolt - brass deadbolts

Doppio quadro ■ mm. 8 per bagno

Double square hole ■ mm. 8 for bathroom




ENT.	40	45	50	60	70	80
L	64	69	74	84	94	104

1 mandata e scrocco reversibile - catenacci in ottone

1 throw and reversible latch bolt - brass deadbolts

Doppio quadro ■ mm. 8 per bagno

Double square hole ■ mm. 8 for bathroom



ENT.	40	45	50	60	70	80
L	64	69	74	84	94	104

frontale
forend

codice code
ENT

euro

cilindro da ordinare a parte cylinder to be ordered separately	acc. ott. vern.			
	brass pl. steel			
		742401	AL1	1 40
		742451	AL1	1 40
		742501	AL1	1 40
		742601	AL1	1 40
		742701	AL1	1 40
	742801	AL1	1 40	
acc. nichelato	742	AN1	1 40	
nickel pl. steel				
acc. cromo luc.	742	AC1	1 40	
pol. chr. steel				
acc. cromo sat.	742	AS1	1 40	
satin chr. steel				
acc. bronzato	742	AB1	1 40	
bronze steel				
acc. inox	742	AX1	1 40	
stainless steel				
ottone luc. vern.	742	LV1	1 40	
polished brass				
ottone nichelato	742	LN1	1 40	
nickel pl. brass				
ottone cromo luc.	742	CL1	1 40	
pol. chr. brass				
ottone cromo sat.	742	CS1	1 40	
satin chr. brass				
ottone bronzato	742	LB1	1 40	
bronze brass				


frontale
forend

codice code
ENT

euro

cilindro da ordinare a parte cylinder to be ordered separately	acc. ott. vern.			
	brass pl. steel			
		742402	AL1	1 40
		742452	AL1	1 40
		742502	AL1	1 40
		742602	AL1	1 40
		742702	AL1	1 40
	742802	AL1	1 40	
acc. nichelato	742	AN1	1 40	
nickel pl. steel				
acc. cromo luc.	742	AC1	1 40	
pol. chr. steel				
acc. cromo sat.	742	AS1	1 40	
satin chr. steel				
acc. bronzato	742	AB1	1 40	
bronze steel				
acc. inox	742	AX1	1 40	
stainless steel				
ottone luc. vern.	742	LV1	1 40	
polished brass				
ottone nichelato	742	LN1	1 40	
nickel pl. brass				
ottone cromo luc.	742	CL1	1 40	
pol. chr. brass				
ottone cromo sat.	742	CS1	1 40	
satin chr. brass				
ottone bronzato	742	LB1	1 40	
bronze brass				


1 mandata - catenaccio in ottone
1 throw - brass deadbolt



ENT.	40	45	50	60	70	80
L	64	69	74	84	94	104

1 mandata - catenaccio in ottone
1 throw - brass deadbolt

■ mm. 8



ENT.	40	45	50	60	70	80
L	64	69	74	84	94	104

frontale forend	codice code ENT		euro		
cilindro da ordinare a parte cylinder to be ordered separately	acc. ott. vern. brass pl. steel				
		744401 AL1	1	40	
		744451 AL1	1	40	
		744501 AL1	1	40	
		744601 AL1	1	40	
		744701 AL1	1	40	
		744801 AL1	1	40	
acc. nichelato nickel pl. steel	744	AN1	1	40	
acc. cromo luc. pol. chr. steel	744	AC1	1	40	
acc. cromo sat. satin chr. steel	744	AS1	1	40	
acc. bronzato bronze steel	744	AB1	1	40	
acc. inox stainless steel	744	AX1	1	40	
ottone luc. vern. polished brass	744	LV1	1	40	
ottone nichelato nickel pl. brass	744	LN1	1	40	
ottone cromo luc. pol. chr. brass	744	CL1	1	40	
ottone cromo sat. satin chr. brass	744	CS1	1	40	
ottone bronzato bronze brass	744	LB1	1	40	



frontale forend	codice code ENT		euro		
cilindro da ordinare a parte cylinder to be ordered separately	acc. ott. vern. brass pl. steel				
		744402 AL1	1	40	
		744452 AL1	1	40	
		744502 AL1	1	40	
		744602 AL1	1	40	
		744702 AL1	1	40	
		744802 AL1	1	40	
acc. nichelato nickel pl. steel	744	AN1	1	40	
acc. cromo luc. pol. chr. steel	744	AC1	1	40	
acc. cromo sat. satin chr. steel	744	AS1	1	40	
acc. bronzato bronze steel	744	AB1	1	40	
acc. inox stainless steel	744	AX1	1	40	
ottone luc. vern. polished brass	744	LV1	1	40	
ottone nichelato nickel pl. brass	744	LN1	1	40	
ottone cromo luc. pol. chr. brass	744	CL1	1	40	
ottone cromo sat. satin chr. brass	744	CS1	1	40	
ottone bronzato bronze brass	744	LB1	1	40	





2 mandate e scrocco reversibile - catenacci in ottone
2 throws and reversible latch bolt - brass deadbolts

■ mm. 8





Interasse 72
Distance 72

frontale forend	codice code ENT	euro	
cilindro da ordinare a parte cylinder to be ordered separately	acc. nichelato nickel pl. steel	750601 AN1	1 40

2 mandate e scrocco reversibile - catenacci in ottone
2 throws and reversible latch bolt - brass deadbolts

■ mm. 8



Interasse 72
Distance 72


frontale forend	codice code ENT	euro	
cilindro da ordinare a parte cylinder to be ordered separately	acc. nichelato nickel pl. steel	750602 AN1	1 40

1 mandata e scrocco reversibile - catenacci in ottone

1 throw and reversible latch bolt - brass deadbolts

Doppio quadro ■ mm. 8 per bagno

Double square hole ■ mm. 8 for bathroom



Interasse 72
Distance 72


frontale forend	codice code ENT	euro	
cilindro da ordinare a parte cylinder to be ordered separately	acc. nichelato nickel pl. steel		
752601 AN1		1	40

1 mandata e scrocco reversibile - catenacci in ottone

1 throw and reversible latch bolt - brass deadbolts

Doppio quadro ■ mm. 8 per bagno

Double square hole ■ mm. 8 for bathroom



Interasse 72
Distance 72

frontale forend	codice code ENT	euro	
cilindro da ordinare a parte cylinder to be ordered separately	acc. nichelato nickel pl. steel		
752602 AN1		1	40

SERRATURE DA INFILARE
mortice locks